



**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-BPC157-001

**DOCUMENT NO.**  
ND-COA-050501

## BPC-157

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
BPC-157 10mg	10.68mg	HPLC-UV	>99%	99.48%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-TB500-002

**DOCUMENT NO.**  
ND-COA-050502

## TB-500

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
TB-500 10mg	9.78mg	HPLC-UV	>99%	99.12%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing



**CLIENT**  
NexCell BioLabs

**MANUFACTURER**  
Confidential

**TEST DATE**  
05/05/2026

**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-GHKCU-003

**DOCUMENT NO.**  
ND-COA-050503

## GHK-Cu

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
GHK-Cu 50mg	53.78mg	HPLC-UV	>99%	99.66%	<b>PASS</b>
GHK-Cu 100mg	98.57mg	HPLC-UV	>99%	99.07%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-AHKCU-004

**DOCUMENT NO.**  
ND-COA-050504

## AHK-Cu

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
AHK-Cu 100mg	102.49mg	HPLC-UV	>99%	99.32%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-CEREBROL-005

**DOCUMENT NO.**  
ND-COA-050505

## Cerebrolysin

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
Cerebrolysin 60mg	59.87mg	HPLC-UV	>99%	99.59%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-SELANK-006

**DOCUMENT NO.**  
ND-COA-050506

## Selank

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
Selank 10mg	9.94mg	HPLC-UV	>99%	99.52%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-SEMAX-007

**DOCUMENT NO.**  
ND-COA-050507

## Semax

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
Semax 10mg	11.13mg	HPLC-UV	>99%	99.27%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing



**CLIENT**  
NexCell BioLabs

**MANUFACTURER**  
Confidential

**TEST DATE**  
05/05/2026

**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-HCG-008

**DOCUMENT NO.**  
ND-COA-050508

## HCG

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
HCG 5000IU	5248IU	HPLC-UV	>99%	99.02%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-CJC1290N-009

**DOCUMENT NO.**  
ND-COA-050509

## CJC-1290 (NO DAC)

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
CJC-1290 (NO DAC) 5mg	5.76mg	HPLC-UV	>99%	99.42%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing



**CLIENT**  
NexCell BioLabs

**MANUFACTURER**  
Confidential

**TEST DATE**  
05/05/2026

**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-IPAMOREL-010

**DOCUMENT NO.**  
ND-COA-050510

## Ipamorelin

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
Ipamorelin 10mg	10.78mg	HPLC-UV	>99%	99.26%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing



**CLIENT**  
NexCell BioLabs

**MANUFACTURER**  
Confidential

**TEST DATE**  
05/05/2026

**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-IGF1LR3-011

**DOCUMENT NO.**  
ND-COA-050511

## IGF-1 LR3

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
IGF-1 LR3 1mg	1.11mg	HPLC-UV	>99%	99.19%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-TESAMORE-012

**DOCUMENT NO.**  
ND-COA-050512

## Tesamorelin

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
Tesamorelin 10mg	12.02mg	HPLC-UV	>99%	99.31%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-5AMINO1M-013

**DOCUMENT NO.**  
ND-COA-050513

## 5-AMINO-1MQ

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
5-AMINO-1MQ 10mg	10.78mg	HPLC-UV	>99%	99.47%	<b>PASS</b>
5-AMINO-1MQ 50mg	54.40mg	HPLC-UV	>99%	99.47%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-TIRZEPAT-014

**DOCUMENT NO.**  
ND-COA-050514

## TIRZEPATIDE

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
TIRZEPATIDE 15mg	16.78mg	HPLC-UV	>99%	99.55%	<b>PASS</b>
TIRZEPATIDE 30mg	31.49mg	HPLC-UV	>99%	99.30%	<b>PASS</b>
TIRZEPATIDE 50mg	54.87mg	HPLC-UV	>99%	99.01%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**

Laboratory Director

ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-PT141-015

**DOCUMENT NO.**  
ND-COA-050515

## PT-141

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
PT-141 10mg	10.32mg	HPLC-UV	>99%	99.20%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing



**CLIENT**  
NexCell BioLabs

**MANUFACTURER**  
Confidential

**TEST DATE**  
05/05/2026

**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-OXYTOCIN-016

**DOCUMENT NO.**  
ND-COA-050516

## Oxytocin Acetate

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
Oxytocin Acetate 10mg	9.40mg	HPLC-UV	>99%	99.48%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-MELANOTA-017

**DOCUMENT NO.**  
ND-COA-050517

## Melanotan-2

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
Melanotan-2 10mg	10.48mg	HPLC-UV	>99%	99.58%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-P21-018

**DOCUMENT NO.**  
ND-COA-050518

## P-21

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
P-21 10mg	10.59mg	HPLC-UV	>99%	99.59%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-GLUTATHI-019

**DOCUMENT NO.**  
ND-COA-050519

## Glutathione

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
Glutathione 1500mg	1612mg	HPLC-UV	>99%	99.71%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-ARA290-020

**DOCUMENT NO.**  
ND-COA-050520

## ARA-290

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
ARA-290 10mg	10.98mg	HPLC-UV	>99%	99.43%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-EPITHALO-021

**DOCUMENT NO.**  
ND-COA-050521

## Epithalon

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
Epithalon 10mg	11.42mg	HPLC-UV	>99%	99.55%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing





**CLIENT**  
NexCell BioLabs



**MANUFACTURER**  
Confidential



**TEST DATE**  
05/05/2026



**REPORT DATE**  
05/06/2026

**JOB ID**  
ND260505-DSIPDELT-022

**DOCUMENT NO.**  
ND-COA-050522

## DSIP (Delta Sleep Inducing Peptide)

TEST	STRENGTH	METHOD	SPECIFICATION	RESULT	STATUS
DSIP (Delta Sleep Inducing Peptide) 10mg	11.18mg	HPLC-UV	>99%	99.36%	<b>PASS</b>

**METHOD:** HPLC-UV

**SPECIFICATION:** >99%

**REMARKS:** This result applies only to the sample tested.

*Daniel Adams*

**Daniel Adams**  
Laboratory Director  
ND Lab Testing

